

Safety Data Sheet

According to GB and EU REACH and CLP Regulations Version: 1.0

Product name : DISINFECTANT DETERGENT Product code : X 5 100 12. Relevant identified uses of the substance or mixture and uses advised against 13.1. Relevant identified uses Main use category : Professional use, Consumer use Use of the substance/mixture : DISINFECTANT/DETERGENT 1.2. Uses advised against Restrictions on use : Not for Oral Consumption, Not for Direct Application to Food Stuffs 1.3. Obtains of the suppliar of the safety data sheet Manufacturer PVA MYGIENE UNIT 6 Havyat Business Park Havyat Road B840 5PA forscot 1.4. Emergency telephone number 1.4. Emergency telephone number 1.4. Emergency telephone number 1.4. Classification of the substance or mixture 2.1. Classification 3. Mix orrosoninfriation, Category 2 4. H315 3. Mix orrosoninfriation, Category 2 4. H315 4. Mixture Mixtur	1.1. Product identifier		
1.1. Relevant identified uses Main use category : Professional use.Consumer use Use of the substance/mixture : DISINFECTANT/DETERGENT 1.2. Uses advised against Restrictions on use : Not for Oral Consumption, Not for Direct Application to Food Stuffs 1.3. Details of the supplier of the safety data sheet Manufacturer PVA HYGIENE UNIT 6 Havyat Business Park Havyat Road 6540 5PA Ensiot 1.1. Emergency telephone number Emergency number : 01934 862859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosoln/mitalion, Category 2 H315 Skin corrosoln/mitalion, Category 2 H315 Skin corrosoln/mitalion, Category 2 H315 Vareas e physicochemical, human health and environmental effects NOTE: In Use Solutions of this Product are NOT CLASSIFIED. 2.1. Label elements (CLP) Classification according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :: (Norro Signal word (CLP) :: (Norro	Product name		
Main use category is Professional use, Consumer use Use of the substance/instruce is DISINFECTANT/DETERGENT 1.2.2. Uses advised against Restrictions on use is in to for Oral Consumption, Not for Direct Application to Food Stuffs 1.3. Details of the supplier of the safety data sheet Manufacturer PVA HYGIENE UNIT 6 Havyat Business Park Havyat Road BS40 6PA Bristol 1.01934 8628959 asseggive hygiene 1.4. Emergency telephone number Emergency number i 01934 862859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 (CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious aye damage/aye irritation, Category 2 H319 Hazardous to the equate environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physiocchemical, human healt and environmental effects NOTE: In Use Solutions of this Product are NOT CLASSIFIED. 2.1. Label elements CLASSIFICED Signal word (CLP) : : : : : : : : : : : : : : : : : : :	1.2. Relevant identified uses of the s	substance or mixture and uses advised against	
Use of the substance/mixture : DISINFECTANT/DETERGENT 1.2.2. Uses advised against Restrictions on use : Not for Oral Consumption, Not for Direct Application to Food Stuffs 1.3. Details of the supplier of the safety data sheet Manufacturer PVA HYGIRNE UNIT 6 Havyat Business Park Havyat Road 8804 0FPA bristo T 01934 882859 sales@non-hydione 1.4. Emergency telephone number Emergency number : 01934 882859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/inflation, Category 2 H315 Serious eye damage/eye inflation, Category 2 H315 Serious eye damage/eye inflation, Category 2 H319 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412 Ful test of H and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NDFE: In Use Solutions of this Product are NOT CLASSIFIED: 2.2. Label elements Elabelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Varning Hazard pictograms (CLP) : Ya15 - Causees sin inritation. H112 - Harmful to aquatic iffe with long lasting effects. H113 - Causees sin inritation. H112 - Harmful to aquatic iffe with long lasting effects. Procautionary statements (CLP) : P12 - Keep out of treach of children. P273 - Avoid release to the environment.	1.2.1. Relevant identified uses		
Restrictions on use : Not for Oral Consumption, Not for Direct Application to Food Stuffs 13. Details of the supplier of the safety data sheet Manufacturer PVA HYGIENE UNIT 6 Havyat Business Park Havyat Road BS40 5PA Bristol 1 01934 862859 14. Emorgency telephone number : 01934 862859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards Identification 21. Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Stin corresion/irritation, Category 2 H315 Serious eye damage/eye inritation, Category 2 H319 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412 Hul ext of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.1. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) Hazard statements (CLP) <td< td=""><td>0,1</td><td></td></td<>	0,1		
13. Details of the supplier of the safety data sheet Manufacturer PVA HYGIENE UNIT 6 havyat Business Park Havyat Road BS40 GPA Brislol T 01934 862859 sales@uva-hygiene 14. Emergency telephone number Emergency number : 01934 862859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H412 Full text of H- and EUH-tstatements: see section 16 Adverse physicochemical, human health and environmental effects NOTE-: In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : P102 - Keep out of reach of children. H412 - Harmful to aquatic life with long lasting effects. H412 - Harmful to	1.2.2. Uses advised against		
Wandfacturer PVA HYGIENE DNIT 6 Havyat Business Park Havyat Road 3580 6PA Bristol T 01934 862859 Sabo SPA Bristol T 01934 862859 Emergency telephone number Emergency number : 01934 862859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damageleye irritation, Category 2 H315 Full text of H- and EUH-statements: see section 16 H412 Adverse physicochemical, human health and environmental effects VOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Edebling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H412 + Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : Warning Procautionary statements (CLP) : P102 - Keep out of reach of children. P102 - Keep out of teach of children. <td< td=""><td>Restrictions on use</td><td>: Not for Oral Consumption, Not for Direct Application to Food Stuffs</td></td<>	Restrictions on use	: Not for Oral Consumption, Not for Direct Application to Food Stuffs	
PVA HYGIENE UNIT 6 Havyat Business Park Havyat Road SS40 6PA Bristol T 01934 862859 sales/@ya-hygiene 14. Emergency telephone number Emergency number : 01934 862859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 21. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Fuzardous to the aquatic environment – Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 H412 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2 Labol elements Edeoling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : P102 - Keep out of reach of childien. P102 - Kee	1.3. Details of the supplier of the saf	iety data sheet	
Emergency number : 01934 882859 (Office Hours). For Immediate first aid advice in the UK call 111 This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye limitation, Category 2 H319 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : Warning Precautionary statements (CLP) : P102- Keep out of reach of children. Precautionary statements (CLP) : P102- Keep out of reach of children. Precautionary statements (CLP) : P102- Keep out of reach of children. P273 - Avoid release to the environment.	PVA HYGIENE UNIT 6 Havyat Business Park Havyat Road BS40 5PA Bristol T 01934 862859		
This product is registered with NPIS in the UK. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Hazardous to the aquatic environment— Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Warning EASIGN Hazard statements (CLP) H315 - Causes skin irritation. H319 Hazard statements (CLP) E H315 - Causes serious eye irritation. H319 Hazard statements (CLP) E H315 - Causes serious eye	1.4. Emergency telephone number		
SECTION 2: Hazards identification 21. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Edebling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Hazard statements (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Product Reap out of reach of children. . P202 - Keep out of reach of children. . P203 - Avoid releas			
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) : Warning Signal word (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H316 - Causes serious eye irritation. H312 - Causes serious eye irritation. H312 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. P102 - Keep out of reach of children. P273 - Avoid release to the environment. P273 - Avoid release to the environment.			
Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Edelements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Procel Keep out of reach of children. P273 - Avoid release to the environment.	SECTION 2: Hazards identification	on	
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Hazard stat	2.1. Classification of the substance	or mixture	
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Hazard stat	Classification according to Regulation (E	EC) No. 1272/2008 [CLP] and GB CLP Regulations	
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Use Solutions of the second se			
Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Hazard statements (CLP) : Hazard statements (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.	Serious eye damage/eye irritation, Category	/ 2 H319	
Adverse physicochemical, human health and environmental effects NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Flazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Hazard statements (CLP) Precautionary statements (CLP) Encode the environment.	Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412		
NOTE:- In Use Solutions of this Product are NOT CLASSIFIED. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.			
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Hazard statements (CLP) : Hazard statements (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.			
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Hazard statements (CLP) : Warning Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.			
Hazard pictograms (CLP) :	Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]	
Signal word (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.			
Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.		GHS07	
H319 - Causes serious eye irritation.H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)Precautionary statements (CL		: Warning	
Precautionary statements (CLP) : P102 - Keep out of reach of children. P273 - Avoid release to the environment.	Hazard statements (CLP)	H319 - Causes serious eye irritation.	
	Precautionary statements (CLP)	: P102 - Keep out of reach of children.	

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P402+P404 - Store in a dry place. Store in a closed container. P501 - Dispose of contents to national regulations.

2.3. Other hazards

This product does not contain any substances classifed as PBT This product does not contain any substances clasified as vPvB.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498- 19	≥ 50	Eye Irrit. 2, H319
Citric Acid Mono Hydrate	CAS-No.: 5949-29-1 EC-No.: 691-328-9 REACH-no: 01-2119457026- 42	≥ 5 – < 10	Eye Irrit. 2, H319
Alkyl (C12-14) Dimethylbenzylammonium Choride	CAS-No.: 85409-22-9 EC-No.: 287-089-1 REACH-no: 01-2120754638- 42	≥ 1.5 – < 2	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Alcohols C9-11, Ethoxylated	CAS-No.: 68439-46-3	≥ 0.1 – < 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Benzododecinium Chloride	CAS-No.: 139-07-1 EC-No.: 205-351-5 REACH-no: 01-2120831693- 52_XXXX	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : If medical advice is needed, have product container or label at hand. For immediate First Aid advice in the UK, dial 111. When it safe to do so, remove the victim immediately from the source of exposure. However, consideration should be given as to whether moving the victim will cause further injury. First-aid measures after inhalation : Unikely without deliberate abuse. Move the affected person to the fresh air. First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Neat product will cause irritation to eyes. Dilute solutions are unclassified, but may cause transient irriation. Eye contact should be treated as above.	
Symptoms/effects after inhalation	: Unlikely route of exposure, but inhalation of dilute solution droplets may result in a sore throat.	
Symptoms/effects after skin contact	 Prolonged or repeated exposure may result in irritation or redness, particulalry on broken skin. 	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Unlikely route of exposure without deliberate abuse. If sachets are swallowed they may swell and could block the throat and GI tract. If Powder is ingested, irritation and burning to the mouth and GI tract may occur, a soapy taste may be reported. Ingestion of diluted solution is unlikely to cause long term harm, but a soapy taste may be reported together with mild irritation to the lips, throat and GI tract.	

4.3. Indication of any immediate medical attention and special treatment needed

Rinse with plenty of water. Check for abrasion to the surface of the eye from powder particles.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Use extinguishing agent suitable for surrounding fire.	
5.2. Special hazards arising from the subst	ance or mixture	
Fire hazard Hazardous decomposition products in case of fire	The product is not flammable.On heating, irritating fumes may be produced.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

6.2. Environmental precautions

Avoid release to the environment. Large scale spillages or uncontrolled discharges into water systems must be reported to the relevent Environment Agency.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Collect and place spillage in suitable containers. Seal the containers and apply labelling to identify the material and hazards. For disposal see section 13 of this SDS.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13. See sections 2,8,12,13 &14.

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	9
Precautions for safe handling Hygiene measures	 Carefully comply with the instructions for use. Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Store in a dry place. Store in a closed container.
7.3. Specific end use(s)	

DISINFECTANT/DETERGENT.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

DISINFE	CTANT	DETER	GENT

United Kingdom - Occupational Exposure Limits

Remark

No exposure limits known for ingredients.

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. In normal use eye protection is not required. During manufacture and packing operations, eye protection is recommended. Refer to EN166 to select appropriate level of protection.

8.2.2.2. Skin protection

Hand protection:

During normal use gloves are not required. During manufacture and packing operations, the use of gloves with a breakthrough time >60 minutes is recommended. Refer to EN374 to select appropriate level of protection. Rubber and PVC gloves are recommended.

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Note:- This would be very unusual in normal use.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

The PPE indicated in this SDS is not a COSHH assessment. It represents the PPE that should be considered for the neat product at all stages of the products life cycle, including manufacture, packing, distribution, use and disposal. Use solutions are unclassified, but for these we recommend use of gloves as minimum PPE.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state Appearance Colour Odour Odour threshold pH pH solution Relative evaporation rate (butylacetate=1) Melting point Freezing point Bailing point	 Solid Powder. Orange. odourless. No data available No data available 10 - 11.5 @1% Not applicable. Not applicable Not applicable Not applicable 	
Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Density Solubility	 Not applicable Not applicable Not applicable Not applicable Not Flammable Not applicable Not applicable Not applicable O.5 – 1 g/cm³ Completely soluble in water. 	
Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties Explosive limits	 No data available Not applicable No data available Product is not explosive. Not oxidising. Not applicable 	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

10.4. Conditions to avoid

Store away from moisture in a closed container.

10.5. Incompatible materials

Strong acids. Oxidising agents. Do not mix with Bleach or products containing Sodium Hypochlorite, this could result in dangerous heating of the solution.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified
Alkyl (C12-14) Dimethylbenzylammonium Cho	oride (85409-22-9)
LD50 oral rat	≈ 344 ml/kg
LD50 dermal rat	> 2000 ml/kg
Alcohols C9-11, Ethoxylated (68439-46-3)	
LD50 oral rat	300 – 2000 ml/kg
LD50 dermal rat	> 2000 ml/kg
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	This mixture is not classified as a carcinogen.
Reproductive toxicity :	This mixture has no reproductive/feotal harm classifications and is not expected to be a risk to expectant mothers.
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
DISINFECTANT DETERGENT	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Normal use solutions of this product are not classified for environmental harm. Not classified Harmful to aquatic life with long lasting effects.	
Alkyl (C12-14) Dimethylbenzylammonium Choride (85409-22-9)		
LC50 - Fish [1]	≈ 0.791 ml/l Rainbow Trout	
EC50 - Crustacea [1]	≈ 0.0164 ml/l Water flea	
EC50 72h - Algae [1]	≈ 0.00785 mg/l Green Algae	

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

Alcohols C9-11, Ethoxylated (68439-46-3)		
LC50 - Fish [1]	1 – 10 mg/l	
EC50 - Crustacea [1]	1 – 10 g/l	
EC50 72h - Algae [1]	1 – 10 mg/l	
12.2. Persistence and degradability		
DISINFECTANT DETERGENT		
Persistence and degradability	The Surfactants and Chelants used in this mixture are Biodegradable.	
12.3. Bioaccumulative potential		
DISINFECTANT DETERGENT		
Bioaccumulative potential	Not expected to Bioaccumulate.	
12.4. Mobility in soil		
DISINFECTANT DETERGENT		
Additional information	soluble in water	
12.5. Results of PBT and vPvB assessment		
DISINFECTANT DETERGENT		
This product does not contain any substances classifed as PBT		
This product does not contain any substances clasified as vPvB.		
12.6. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations

13	3.1. Wa	iste trea	tment m	ethods
----	---------	-----------	---------	--------

- Waste treatment methods Sewage disposal recommendations
- Disposal of this product must comply with local and national environmental legislation.Small volumes of use solution can be disposed of to sewage drains.

SECTION 14: Transport information

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				
14.6. Special precautions for user				

Overland transport

Not applicable

Transport by sea Not applicable

Air transport

Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

GB REACH and CLP regulations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

Abbreviations and ac	ronyms:
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Aquatic Acute 1Hazardous to the aquatic environment — Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment — Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2H302Harmful if swallowed.

Safety Data Sheet

According to GB and EU REACH and CLP Regulations

Full text of H- and EUH-statements:	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.